

Product Overview

Additives for Polymer Dispersions



Antifoaming Agents

Antifoaming Agents	Chemical Base	Delivered as	Production of						Formulations based on				
			E-PVC	Micro-S-PVC	S-PVC	PVAc/VAE/PVOH	Acrylates	SBR/NBR-Latex	SBR/NBR-Rubber	Acrylates	PVAc/VAE/PVOH	SBR/NBR-Latex	PU
TEGO® Antifoam 1488	Polyether siloxane	20 % active emulsion				○	●		●	●	○		
TEGO® Antifoam 2-57	Polyether siloxane	20 % active emulsion							○	○	○	○	
TEGO® Antifoam 2-80	Polyether siloxane	20 % active emulsion										●	●
TEGO® Antifoam 2-89	Polyether siloxane	20 % active emulsion				●	●	○	●	●	○		
TEGO® Antifoam 204	Polyether siloxane	20 % active emulsion							●		●		
TEGO® Antifoam 2280	Polyether + siloxane	50 % active emulsion			●	○			○				
TEGO® Antifoam 2290	Paraffinic oil	100 % active selfemulsifiable concentrate						○	●			○	
TEGO® Antifoam 2291	Paraffinic oil	100 % active selfemulsifiable concentrate						○	●	●		○	
TEGO® Antifoam 2450	Vegetable oil	100 % active selfemulsifiable concentrate											●
TEGO® Antifoam 2460	Mineral oil	100 % active selfemulsifiable concentrate											●
TEGO® Antifoam 3045	Vegetable oil	100 % active selfemulsifiable concentrate						○					●
TEGO® Antifoam 4-88	Polyether siloxane	40 % active emulsion			●		○	○	○	○	○		
TEGO® Antifoam 4-94	Polyether siloxane	40 % active emulsion							●	○			
TEGO® Antifoam D 2315	Polyether siloxane	100 % active concentrate							●		●		
TEGO® Antifoam D 3020	Gemini surfactant	100 % active concentrate							○	●			
TEGO® Antifoam KS 53	Vegetable oil	100 % active selfemulsifiable concentrate	●	●			○	○	○	○			
TEGO® Antifoam KE 600	Polyether + siloxane	60 % active emulsion			●		○						
TEGO® Antifoam KE 600 EC	Polyether + siloxane	60 % active emulsion			●	○	○		●	○			



Wetting Agents

Wetting Agents	Chemical Base	Delivered as	surface tension 0.1 % in water		Cloud point 0.1 % in water (°C)	Wetting of			Syner- gism with TEGO® Antifoam	
			Static (bubble life time 5000 ms)	Dynamic (bubble life time 30 ms)		Glass	PP/PE film	Siliconized surface	Improved defoaming	Reduction of surface defects
SURFYNOL® AS 5000	Gemini surfactant	50 % active solution	35	40	<RT	●	●			
SURFYNOL® AS 5020	Ethoxylated gemini surfactant	100 % active concentrate	34	39	<RT	○	○	●		
SURFYNOL® AS 5040	Ethoxylated gemini surfactant	100 % active concentrate	32	35	58	●	●	●	●	●
SURFYNOL® AS 5060	Alkoxylated gemini surfactant	100 % active concentrate	33	37	46	●	●	●		●
SURFYNOL® AS 5080	Blend of gemini surfactants	100 % active concentrate	25	30	<RT	●	●	●	●	●
SURFYNOL® AS 5100	Blend of Gemini and anionic surfactants	80 % active concentrate	31	37	>100	○	○	●	●	
SURFYNOL® AS 5120	Anionic surfactant blend	100 % active concentrate	33	37	28	●	●	●	●	●
SURFYNOL® AS 5140	Anionic surfactant blend	85 % active concentrate	32	41	30	○	○	○		
SURFYNOL® AS 5160	Anionic surfactant	75 % active concentrate	30	38	>100	○	○	●		●
SURFYNOL® AS 5180	Alcoholalkoxylate	100 % active concentrate	29	34	44	●	●	●		
TEGOPREN® 5840	Organommodified Siloxane	100 % active concentrate	22	51	25	●	●	●		●
TEGOPREN® 5860	Organommodified Siloxane	100 % active concentrate	23	43	<RT	●	●	●		●
TEGOPREN® 5885	Siloxane based gemini surfactant	100 % active concentrate	n.a.	n.a.	<RT	●	●		●	
TEGOPREN® 5890	Organommodified Siloxane	100 % active concentrate	41	56	<RT	●	●		●	

Emulsifying Agents

Emulsifying Agents	Chemical Base	Delivered as	Production of				
			E-PVC	PVAc/VAE/PVOH	Acrylates	PU-Dispersion	Inverse Polymerisation
REWOPOL® SB FA 50	Ethoxylated sulfosuccinate	30–32 % active solution		○	●		
REWOPOL® SB DO 75	Sulfosuccinate	75 % active solution	○		○		
REWOPOL® V 10033	Fatty alkanolamide sulfosuccinate	36–39 % active solution		●	●		
TEGO® SMO 80	Nonionic	100 % active concentrate					●
TEGO® IS 5458	Mixture based on nonionics	96 % active concentrate					●
TEGOMER® D 3403	Polyether polyol	100 % active concentrate				●	

Thickening Agents

Thickening Agents	Chemical Base	Delivered as	Viscosity	Flow behavior	Formulations based on			conditions of use		
					Acrylics	SBR/NBR-Latex	PVAc/VAE/PVOH	pH 3 - 10	high electrolyte content	shear stable formulations
TEGO® Rheo 8600	Polyurethane	25 % active solution	~ 30.000 mPas	Newtonian	●	●	○	●	●	●
TEGO® Rheo 8510	Polyurethane	60 % active solution	~ 20.000 mPas	Pseudoplastic	●	●	○	●	●	●

Dispersing Agents

Dispersing Agents	Chemical Base	Delivered as	Ionogenicity	Dispersion of				
				Chalk	Talc	Glass or polymeric fiber	micronized filler	Organic pigments
TEGOMER® DA 640	Polyether phosphate	30 % active solution	Anionic	•	•			
TEGOMER® DA 646	Modified Polyether	100 % active concentrate	Nonionic			•	•	
TEGOMER® DA 850	Polymeric nature	40 % active solution	Nonionic	•	•			•



www.evonik.com/food-contact

Please visit our website to learn more about our food contact compliance.
DOWNLOAD OUR FOOD CONTACT OVERVIEW VIA QR-CODE NOW!



Food Contact Compliance

	EU Regulation 10/2011	BfR XIV	21 CFR FDA							
			FDA 175.105	FDA 175.125	FDA 175.300	FDA 176.170	FDA 176.180	FDA 176.210	FDA 177.1210	FDA 177.2600
Antifoaming Agents										
TEGO® Antifoam 2-57		•	•						•	
TEGO® Antifoam 2-80		•	•						•	
TEGO® Antifoam 2-89		•	•						•	
TEGO® Antifoam 4-88	•	•	•	•	•	•	•	•	•	•
TEGO® Antifoam 4-94	•	•	•	•	•	•	•	•	•	•
TEGO® Antifoam 204	•	•								
TEGO® Antifoam 1488		•	•						•	
TEGO® Antifoam 2280	•	•	•						•	
TEGO® Antifoam 2290		•	•		•	•	•	•		•
TEGO® Antifoam 2291	•	•	•		•	•	•	•		•
TEGO® Antifoam 2450	•	•								•
TEGO® Antifoam 3045	•	•	•		•	•	•	•		
TEGO® Antifoam D 2315	•	•	•	•	•	•	•	•	•	•
TEGO® Antifoam KS 53	•	•	•	•	•	•	•	•	•	•
TEGO® Antifoam KE 600 EC	•	•	•	•	•	•	•	•	•	•
Wetting Agents										
SURFYNOL® AS 5020			•		•	•	•			
SURFYNOL® AS 5040			•		•	•	•			
SURFYNOL® AS 5060			•				•			
SURFYNOL® AS 5100			•		•	•	•			
SURFYNOL® AS 5120	•	•	•			•	•			
SURFYNOL® AS 5140			•							
SURFYNOL® AS 5160	•	•	•	•	•	•	•			
TEGOPREN® 5840			•							
TEGOPREN® 5885			•							
TEGOPREN® 5890	•	•	•							
Emulsifying Agents										
REWOPOL® SB FA 50		•	•							
REWOPOL® SB DO 75	•	•	•		•	•	•			
REWOPOL® V 10033		•								
TEGO® SMO 80 V	•	•	•		•	•	•			
Thickening Agents										
TEGO® RHEO 8600	•	•	•							

For restrictions please refer to the technical data sheet

Europe | Middle East | Africa

Evonik Nutrition & Care GmbH
Goldschmidtstraße 100
45127 Essen
Germany
Phone +49 201 173-2665
Fax +49 201 173-1990
www.evonik.com

Asia | Pacific

Evonik Specialty Chemicals Co., Ltd.
55, Chundong Road
Xinzhuang Industry Park
Shanghai, 201108
PR China
Phone +86 21 6119-1125
Fax +86 21 6119-1406

The Americas

Evonik Corporation
7801 Whitepine Road
P.O. Box 34628
Richmond, VA 23234
USA
Phone +1 804 727-0700
Fax +1 804 727-0855

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.



www.evonik.com/polymer-dispersions