

## Technical Information

## REWOPOL® V 10033

**Composition**

Sodium fatty alkanolamide sulfosuccinate

**Physical properties**

Appearance (20 °C)	amber liquid
Solids content	36 – 39 %
pH value (tel quel)	5.5 – 6.4

**Application**

Emulsifier for the production of emulsion polymers. REWOPOL® V 10033 is used as emulsifier for the production of emulsion polymers, especially for:

- vinylacrylate copolymer
- acrylate polymers and copolymers
- vinylacetate polymers and copolymers

**Benefits**

REWOPOL® V 10033 is an anionic surfactant with good emulsifying and dispersing properties. It shows a high electrolyte stability.

**Dosage/Handling**

REWOPOL® V 10033 is an easy to handle, pourable liquid.

Dosage depends on the application and specific formulation in use, as well as on the required performance.

**Food contact status****BfR**

REWOPOL® V 10033 meets the requirements of § 31 of the German Food, Commodities and Feed Law (Lebensmittel-, Bedarfsgegenstände- und Futtermittelgesetzbuch, LFGB) for the production of articles, intended to come into contact with food.

The components of REWOPOL® V 10033 are listed

in the BfR Recommendation XIV under A.2.d Emulgatoren with the provision of max 0.8 mg/dm<sup>2</sup>.

**GB 9685–2016**

REWOPOL® V 10033 may be used in compliance with GB 9685 when used in paper. REWOPOL V 10033 contains 25 ppm MIT and 25 ppm BIT as preservative. Both are listed in the GB 9685–2016 when used in paper or adhesives. MIT has a SML of 0.5 mg/kg and BIT of 1.2 mg/kg.

**Registration status**

The components of REWOPOL® V 10033 are listed in the following chemical inventories:

EINECS, TSCA, DSL, AICS, ECL, ENCS, PICCS, IECSC

Based on the submitted information of our raw material suppliers we can confirm, that REWOPOL® V 10033 is compliant with EC Regulation 1907/2006 (REACH).

**Storage stability**

At room temperature REWOPOL® V 10033 is stable for 6 months.

When REWOPOL® V 10033 is stored at 35 to 40 °C the stability is reduced and it should be processed within 1 month. Additionally, it should be kept at frost free conditions.

**Packaging**

1 000 kg containers

**Hazardous goods classification**

Information concerning

- classification and labelling according to regulations for transport and for dangerous substances
- protective measures for storage and handling
- measures in case of accidents and fire
- toxicity and ecological effects

is given in our material safety data sheets.

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

**Evonik Nutrition & Care GmbH**  
 Goldschmidtstraße 100  
 45127 Essen, Germany  
 Phone Europe +49 201 173 2665  
 Phone Asia +86 21 61191 125  
 Phone Americas +1 804 727 0700  
[interface-performance@evonik.com](mailto:interface-performance@evonik.com)  
[www.evonik.com/interface-performance](http://www.evonik.com/interface-performance)